

**executing service gd.tempomaster\_pro/.svcoverlayinfo**

(no location available)

HIDE

Reports this week

10

Reports total

58

Impacted users

9

[SHOW FULL LIST](#)

Today, 11:09 AM on app version 27

[Samsung Galaxy S5 LTE-A \(kccat6\)](#), 2048MB RAM, Android 6.0

Report 1 of 58

COLLAPSE ALL

```
"main" tid=1 Native
```

```
"main" prio=5 tid=1 Native | group="main" sCount=1 dsCount=0 obj=0x75e67f68
self=0xb4824500 | sysTid=14448 nice=0 cgrp=apps sched=o/o handle=0xb6f20b4c | state=S
schedstat=( 3374232049 574513512 2534 ) utm=299 stm=38 core=3 HZ=100 |
stack=0xbe2ae000-0xbe2b0000 stackSize=8MB | held mutexes=
native: pc 0oooooooooooo40934 /system/lib/libc.so (__epoll_pwait+20)
native: pc 0oooooooooooo19fc3 /system/lib/libc.so (epoll_pwait+26)
native: pc 0oooooooooooo19fd1 /system/lib/libc.so (epoll_wait+6)
native: pc 0oooooooooooo12ce7 /system/lib/libutils.so (_ZN7android6Looper9pollInnerEi+102)
native: pc 0oooooooooooo12f63 /system/lib/libutils.so
(_ZN7android6Looper8pollOnceEiPiS1_PPv+130)
native: pc 0oooooooooooo862c5 /system/lib/libandroid_runtime.so
(_ZN7android18NativeMessageQueue8pollOnceEP7_JNIEnvP8_jobjecti+22)
native: pc 0oooooooooooo575 /system/framework/arm/boot.oat
(Java_android_os_MessageQueue_nativePollOnce__Jl+96)
at android.os.MessageQueue.nativePollOnce (Native method)
at android.os.MessageQueue.next (MessageQueue.java:323)
at android.os.Looper.loop (Looper.java:143)
at android.app.ActivityThread.main (ActivityThread.java:7224)
at java.lang.reflect.Method.invoke! (Native method)
at com.android.internal.os.ZygoteInit$MethodAndArgsCaller.run (ZygoteInit.java:1230)
at com.android.internal.os.ZygoteInit.main (ZygoteInit.java:1120)
```

"ReferenceQueueDaemon" tid=3 *Waiting*  
"ReferenceQueueDaemon" daemon prio=5 tid=3 Waiting | group="system" sCount=1  
dsCount=0 obj=0x32c07100 self=0xad9c2foo | sysTid=14454 nice=0 cgrp=apps sched=o/o  
handle=0xb3726930 | state=S schedstat=( 157850680 35295573 356 ) utm=7 stm=8 core=2  
HZ=100 | stack=0xb3624000-0xb3626000 stackSize=1038KB | held mutexes=  
at java.lang.Object.wait! (Native method)  
- waiting on <0xobc9a5b8> (a java.lang.Class<java.lang.ref.ReferenceQueue>)  
at java.lang.Daemons\$ReferenceQueueDaemon.run (Daemons.java:147)  
- locked <0xobc9a5b8> (a java.lang.Class<java.lang.ref.ReferenceQueue>)  
at java.lang.Thread.run (Thread.java:818)

"FinalizerWatchdogDaemon" tid=4 *Sleeping*  
"FinalizerWatchdogDaemon" daemon prio=5 tid=4 Sleeping | group="system" sCount=1  
dsCount=0 obj=0x32c07160 self=0xad9c3900 | sysTid=14456 nice=0 cgrp=apps sched=o/o  
handle=0xb3512930 | state=S schedstat=( 1982398 5433959 25 ) utm=0 stm=0 core=3  
HZ=100 | stack=0xb3410000-0xb3412000 stackSize=1038KB | held mutexes=  
at java.lang.Thread.sleep! (Native method)  
- sleeping on <0x09a9cf91> (a java.lang.Object)  
at java.lang.Thread.sleep (Thread.java:1031)  
- locked <0x09a9cf91> (a java.lang.Object)  
at java.lang.Thread.sleep (Thread.java:985)  
at java.lang.Daemons\$FinalizerWatchdogDaemon.sleepFor (Daemons.java:273)  
at java.lang.Daemons\$FinalizerWatchdogDaemon.waitForFinalization (Daemons.java:284)  
at java.lang.Daemons\$FinalizerWatchdogDaemon.run (Daemons.java:232)  
at java.lang.Thread.run (Thread.java:818)

"FinalizerDaemon" tid=5 *Waiting*  
"FinalizerDaemon" daemon prio=5 tid=5 Waiting | group="system" sCount=1 dsCount=0  
obj=0x32c071c0 self=0xad9c3400 | sysTid=14455 nice=0 cgrp=apps sched=o/o  
handle=0xb361c930 | state=S schedstat=( 353330743 63732178 518 ) utm=24 stm=11 core=2  
HZ=100 | stack=0xb351a000-0xb351c000 stackSize=1038KB | held mutexes=  
at java.lang.Object.wait! (Native method)  
- waiting on <0x05b1bef6> (a java.lang.ref.ReferenceQueue)  
at java.lang.Object.wait (Object.java:423)  
at java.lang.ref.ReferenceQueue.remove (ReferenceQueue.java:101)  
- locked <0x05b1bef6> (a java.lang.ref.ReferenceQueue)  
at java.lang.ref.ReferenceQueue.remove (ReferenceQueue.java:72)  
at java.lang.Daemons\$FinalizerDaemon.run (Daemons.java:185)  
at java.lang.Thread.run (Thread.java:818)

"Binder\_1" tid=7 *Native*  
"Binder\_1" prio=5 tid=7 Native | group="main" sCount=1 dsCount=0 obj=0x32c07280  
self=0xad9c4d00 | sysTid=14458 nice=0 cgrp=apps sched=o/o handle=0xb3202930 | state=S  
schedstat=( 24079326 18796564 117 ) utm=2 stm=0 core=1 HZ=100 | stack=0xb3106000-  
0xb3108000 stackSize=1014KB | held mutexes=  
native: pc 0oooooooooooo40a5c /system/lib/libc.so (\_\_ioctl+8)  
native: pc 0oooooooooooo474d9 /system/lib/libc.so (ioctl+14)

```
native: pc 0oooooooooooo1e96d /system/lib/libbinder.so
(_ZN7android14IPCThreadState14talkWithDriverEb+132)
native: pc 0oooooooooooo1ee83 /system/lib/libbinder.so
(_ZN7android14IPCThreadState20getAndExecuteCommandEv+6)
native: pc 0oooooooooooo1ef21 /system/lib/libbinder.so
(_ZN7android14IPCThreadState14joinThreadPoolEb+48)
native: pc 0oooooooooooo23875 /system/lib/libbinder.so (???)
```

native: pc 0oooooooooooo10075 /system/lib/libutils.so  
(\_ZN7android6Thread11\_threadLoopEPv+112)

```
native: pc 0oooooooooooo61fdb /system/lib/libandroid_runtime.so
(_ZN7android14AndroidRuntime15javaThreadShellEPv+70)
native: pc 0oooooooooooo3f4ff /system/lib/libc.so (_ZL15__pthread_startPv+30)
native: pc 0oooooooooooo19c97 /system/lib/libc.so (__start_thread+6)
```

#### "Binder\_2" tid=8 Native

```
"Binder_2" prio=5 tid=8 Native | group="main" sCount=1 dsCount=0 obj=0x32c072e0
self=0xad8f5500 | sysTid=14459 nice=0 cgrp=apps sched=0/o handle=0xb30fe930 | state=S
schedstat=( 19951980 15714634 93 ) utm=0 stm=1 core=2 HZ=100 | stack=0xb3002000-
0xb3004000 stackSize=1014KB | held mutexes=
native: pc 0oooooooooooo40a5c /system/lib/libc.so (__ioctl+8)
native: pc 0oooooooooooo474d9 /system/lib/libc.so (ioctl+14)
native: pc 0oooooooooooo1e96d /system/lib/libbinder.so
(_ZN7android14IPCThreadState14talkWithDriverEb+132)
native: pc 0oooooooooooo1ee83 /system/lib/libbinder.so
(_ZN7android14IPCThreadState20getAndExecuteCommandEv+6)
native: pc 0oooooooooooo1ef21 /system/lib/libbinder.so
(_ZN7android14IPCThreadState14joinThreadPoolEb+48)
native: pc 0oooooooooooo23875 /system/lib/libbinder.so (???)
```

native: pc 0oooooooooooo10075 /system/lib/libutils.so  
(\_ZN7android6Thread11\_threadLoopEPv+112)

```
native: pc 0oooooooooooo61fdb /system/lib/libandroid_runtime.so
(_ZN7android14AndroidRuntime15javaThreadShellEPv+70)
native: pc 0oooooooooooo3f4ff /system/lib/libc.so (_ZL15__pthread_startPv+30)
native: pc 0oooooooooooo19c97 /system/lib/libc.so (__start_thread+6)
```

#### "RenderThread" tid=9 Native

```
"RenderThread" prio=5 tid=9 Native | group="main" sCount=1 dsCount=0 obj=0x32c07340
self=0xad9c6100 | sysTid=14547 nice=-4 cgrp=apps sched=0/o handle=0xb2ccb930 | state=S
schedstat=( 471211045 120595213 883 ) utm=17 stm=30 core=2 HZ=100 | stack=0xb2bbfoo-
0xb2bc1000 stackSize=1014KB | held mutexes=
native: pc 0oooooooooooo40934 /system/lib/libc.so (__epoll_pwait+20)
native: pc 0oooooooooooo19fc3 /system/lib/libc.so (epoll_pwait+26)
native: pc 0oooooooooooo19fd1 /system/lib/libc.so (epoll_wait+6)
native: pc 0oooooooooooo12ce7 /system/lib/libutils.so (_ZN7android6Looper9pollInnerEi+102)
native: pc 0oooooooooooo12f63 /system/lib/libutils.so
(_ZN7android6Looper8pollOnceEiPiS1_PPv+130)
native: pc 0oooooooooooo21faf /system/lib/libhwui.so
(_ZN7android1ouirenderer12renderthread12RenderThread10threadLoopEv+62)
```

native: pc 0oooooooooooo10075 /system/lib/libutils.so  
(\_ZN7android6Thread11\_threadLoopEPv+112)  
native: pc 0oooooooooooo61fdb /system/lib/libandroid\_runtime.so  
(\_ZN7android14AndroidRuntime15javaThreadShellEPv+70)  
native: pc 0oooooooooooo3f4ff /system/lib/libc.so (\_ZL15\_\_pthread\_startPv+30)  
native: pc 0oooooooooooo19c97 /system/lib/libc.so (\_\_start\_thread+6)

"hwuiTask1" tid=10 *Native*

"hwuiTask1" prio=5 tid=10 Native | group="main" sCount=1 dsCount=0 obj=0x32c073ao  
self=0xad8f6900 | sysTid=14586 nice=-2 cgrp=apps sched=o/o handle=0x9e28f930 | state=S  
schedstat=( 921876 665417 6 ) utm=o stm=o core=2 HZ=100 | stack=0x9e193000-  
0x9e195000 stackSize=1014KB | held mutexes=  
native: pc 0oooooooooooo176ao /system/lib/libc.so (syscall+28)  
native: pc 0oooooooooooo3f31b /system/lib/libc.so  
(\_ZL33\_\_pthread\_cond\_timedwait\_relativeP23pthread\_cond\_internal\_tP15pthread\_mutex  
\_tPK8timespec+56)  
native: pc 0oooooooooooo22895 /system/lib/libhwui.so (????)  
native: pc 0oooooooooooo10075 /system/lib/libutils.so  
(\_ZN7android6Thread11\_threadLoopEPv+112)  
native: pc 0oooooooooooo61fdb /system/lib/libandroid\_runtime.so  
(\_ZN7android14AndroidRuntime15javaThreadShellEPv+70)  
native: pc 0oooooooooooo3f4ff /system/lib/libc.so (\_ZL15\_\_pthread\_startPv+30)  
native: pc 0oooooooooooo19c97 /system/lib/libc.so (\_\_start\_thread+6)

"pool-3-thread-1" tid=11 *TimedWaiting*

"pool-3-thread-1" daemon prio=5 tid=11 TimedWaiting | group="main" sCount=1 dsCount=0  
obj=0x32c07400 self=0xb2b77100 | sysTid=14698 nice=o cgrp=apps sched=o/o  
handle=0x9cd3f930 | state=S schedstat=( 318294531 62888960 52 ) utm=29 stm=2 core=1  
HZ=100 | stack=0x9cc3d000-0x9cc3foo0 stackSize=1038KB | held mutexes=  
at java.lang.Object.wait! (Native method)  
- waiting on <0x0d2172f7> (a java.lang.Object)  
at java.lang.Thread.parkFor\$ (Thread.java:1220)  
- locked <0x0d2172f7> (a java.lang.Object)  
at sun.misc.Unsafe.park (Unsafe.java:299)  
at java.util.concurrent.locks.LockSupport.parkNanos (LockSupport.java:198)  
at java.util.concurrent.SynchronousQueue\$TransferStack.awaitFulfill  
(SynchronousQueue.java:430)  
at java.util.concurrent.SynchronousQueue\$TransferStack.transfer  
(SynchronousQueue.java:332)  
at java.util.concurrent.SynchronousQueue.poll (SynchronousQueue.java:911)  
at java.util.concurrent.ThreadPoolExecutor.getTask (ThreadPoolExecutor.java:1036)  
at java.util.concurrent.ThreadPoolExecutor.runWorker (ThreadPoolExecutor.java:1098)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run (ThreadPoolExecutor.java:588)  
at java.lang.Thread.run (Thread.java:818)

"AsyncTask #1" tid=12 *Waiting*

"AsyncTask #1" prio=5 tid=12 Waiting | group="main" sCount=1 dsCount=0 obj=0x32c07460  
self=0xb4825e00 | sysTid=14717 nice=10 cgrp=apps/bg\_non\_interactive sched=o/o

handle=0x9c957930 | state=S schedstat=( 1116982 2074842 11 ) utm=0 stm=0 core=3  
HZ=100 | stack=0x9c855000-0x9c857000 stackSize=1038KB | held mutexes=  
at java.lang.Object.wait! (Native method)  
- waiting on <0x0a4f6564> (a java.lang.Object)  
at java.lang.Thread.parkFor\$ (Thread.java:1220)  
- locked <0x0a4f6564> (a java.lang.Object)  
at sun.misc.Unsafe.park (Unsafe.java:299)  
at java.util.concurrent.locks.LockSupport.park (LockSupport.java:158)  
at java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.await  
(AbstractQueuedSynchronizer.java:2013)  
at java.util.concurrent.LinkedBlockingQueue.take (LinkedBlockingQueue.java:410)  
at java.util.concurrent.ThreadPoolExecutor.getTask (ThreadPoolExecutor.java:1036)  
at java.util.concurrent.ThreadPoolExecutor.runWorker (ThreadPoolExecutor.java:1098)  
at java.util.concurrent.ThreadPoolExecutor\$Worker.run (ThreadPoolExecutor.java:588)  
at java.lang.Thread.run (Thread.java:818)

"Signal Catcher" tid=2 *Runnable*

"Signal Catcher" daemon prio=5 tid=2 Runnable | group="system" sCount=0 dsCount=0  
obj=0x32c070ao self=0xad933100 | sysTid=14453 nice=0 cgrp=apps sched=o/o  
handle=0xb382c930 | state=R schedstat=( 13021250 3673386 12 ) utm=1 stm=0 core=1  
HZ=100 | stack=0xb3730000-0xb3732000 stackSize=1014KB | held mutexes= "mutator  
lock"(shared held)  
native: pc 0oooooooo000371dd1 /system/lib/libart.so  
(\_ZN3art15DumpNativeStackERNSt3\_\_11basic\_ostreamIcNS0\_11char\_traitsIcEEEEiPKcP  
NS\_9ArtMethodEPv+160)  
native: pc 0oooooooo00035144b /system/lib/libart.so  
(\_ZNK3art6Thread4DumpERNSt3\_\_11basic\_ostreamIcNS1\_11char\_traitsIcEEEE+150)  
native: pc 0oooooooo00035b343 /system/lib/libart.so  
(\_ZN3art14DumpCheckpoint3RunEPNS\_6ThreadE+442)  
native: pc 0oooooooo00035bf01 /system/lib/libart.so  
(\_ZN3art10ThreadList13RunCheckpointEPNS\_7ClosureE+212)  
native: pc 0oooooooo00035c42f /system/lib/libart.so  
(\_ZN3art10ThreadList4DumpERNSt3\_\_11basic\_ostreamIcNS1\_11char\_traitsIcEEEE+142)  
native: pc 0oooooooo00035cb3f /system/lib/libart.so  
(\_ZN3art10ThreadList14DumpForSigQuitERNSt3\_\_11basic\_ostreamIcNS1\_11char\_traitsIc  
EEEE+334)  
native: pc 0oooooooo000334c4f /system/lib/libart.so  
(\_ZN3art7Runtime14DumpForSigQuitERNSt3\_\_11basic\_ostreamIcNS1\_11char\_traitsIcEEE  
E+74)  
native: pc 0oooooooo00033bfb5 /system/lib/libart.so  
(\_ZN3art13SignalCatcher13HandleSigQuitEv+928)  
native: pc 0oooooooo00033c8bf /system/lib/libart.so (\_ZN3art13SignalCatcher3RunEPv+378)  
native: pc 0oooooooo0003f4ff /system/lib/libc.so (\_ZL15\_\_pthread\_startPv+30)  
native: pc 0oooooooo00019c97 /system/lib/libc.so (\_\_start\_thread+6)

"HeapTaskDaemon" tid=6 *Blocked*

"HeapTaskDaemon" daemon prio=5 tid=6 Blocked | group="system" sCount=1 dsCount=0  
obj=0x32c07220 self=0xad9c2a00 | sysTid=14457 nice=0 cgrp=apps sched=o/o

```
handle=0xb3408930 | state=S schedstat=( 506213488 50590883 152 ) utm=42 stm=8 core=0
HZ=100 | stack=0xb3306000-0xb3308000 stackSize=1038KB | held mutexes=
native: pc 0oooooooooooo176a4 /system/lib/libc.so (syscall+32)
native: pc 0ooooooooooooof6f15 /system/lib/libart.so
(_ZN3art17ConditionVariable9TimedWaitEPNS_6ThreadExi+120)
native: pc 0oooooooooooo1d7ed5 /system/lib/libart.so
(_ZN3art2gc13TaskProcessor7GetTaskEPNS_6ThreadE+240)
native: pc 0oooooooooooo1d8381 /system/lib/libart.so
(_ZN3art2gc13TaskProcessor11RunAllTasksEPNS_6ThreadE+72)
native: pc 0oooooooooooo0377 /system/framework/arm/boot.oat
(Java_dalvik_system_VMRuntime_runHeapTasks__+74)
at dalvik.system.VMRuntime.runHeapTasks (Native method)
- waiting to lock an unknown object
at java.lang.Daemons$HeapTaskDaemon.run (Daemons.java:355)
at java.lang.Thread.run (Thread.java:818)
```